


Детали соединительные для напорных трубопроводов. Сварные.



Отвод 5-45° 2-х сегментные						
Диаметр,мм	L,мм	SDR 26	SDR 21	SDR 17	SDR 13,6	SDR 11
40	85	-	111,0	114,0	117,0	121,5
50	85	138,0	142,5	147,0	153,0	159,0
63	85	180,0	184,5	193,5	202,5	213,0
75	85	220,5	231,0	241,5	255,0	270,0
90	170	328,5	352,5	384,0	420,0	460,5
110	170	427,5	468,0	513,0	565,5	627,0
125	170	529,5	585,0	646,5	724,5	813,0
140	170	627,0	691,5	771,0	867,0	975,0
160	230	837,0	939,0	1057,5	1206,0	1380,0
180	230	1018,5	1155,0	1317,0	1515,0	1738,5
200	230	1206,0	1374,0	1572,0	1807,5	2092,5
225	230	1419,0	1629,0	1875,0	2169,0	2512,5
250	240	1773,0	2035,5	2370,0	2755,5	3207,0
280	240	2293,5	2688,0	3133,5	3669,0	4293,0
315	270	2773,5	3225,0	3781,5	4459,5	5224,5
355	310	3793,5	4479,0	5325,0	6292,5	7420,5
400	360	5221,5	6207,0	7375,5	8794,5	10444,5
450	410	7474,5	8970,0	10738,5	12861,0	15337,5
500	400	8644,5	10390,5	12469,5	14934,0	17808,0
560	440	12495,0	15106,5	18240,0	21957,0	26226,0
630	510	17383,5	21006,0	25525,5	30771,0	37050,0
710	550	29928,0	35697,0	42612,0	50926,5	60684,0
800	630	40224,0	48270,0	57852,0	69478,5	запрос
900	710	63822,0	76882,5	92178,0	110416,5	запрос
1000	710	80794,5	97365,0	117004,5	140940,0	запрос
1200	710	запрос	запрос	запрос	запрос	запрос

Крестовина					
Диаметр	SDR 26	SDR 21	SDR 17	SDR 13,6	SDR 11
40	-	402,0	412,5	426,0	442,5
50	502,5	516,0	534,0	556,5	583,5
63	655,5	675,0	708,0	742,5	784,5
75	924,0	987,0	1065,0	1155,0	1251,0
90	1162,5	1246,5	1354,5	1477,5	1620,0
110	1515,0	1654,5	1809,0	1987,5	2199,0
125	1845,0	2025,0	2230,5	2490,0	2787,0
140	2176,5	2394,0	2656,5	2974,5	3334,5
160	2604,0	2878,5	3201,0	3600,0	4071,0
180	3136,5	3505,5	3943,5	4476,0	5082,0
200	3685,5	4141,5	4674,0	5308,5	6079,5
225	4314,0	4882,5	5547,0	6337,5	7264,5
250	5209,5	5892,0	6762,0	7765,5	8937,0
280	7056,0	8182,5	9457,5	10987,5	12772,5
315	8581,5	9894,0	11511,0	13480,5	15703,5
355	11248,5	13153,5	15507,0	18196,5	21334,5
400	13878,0	16287,0	19144,5	22618,5	26653,5
450	20595,0	24504,0	29125,5	34671,0	41140,5
500	23772,0	28332,0	33765,0	40204,5	47716,5
560	39352,5	47434,5	57133,5	68638,5	81855,0
630	49248,0	59247,0	71722,5	86197,5	103528,5
710	102598,5	121696,5	144586,5	172111,5	204409,5
800	131653,5	157012,5	187207,5	223851,0	<i>запрос</i>
900	204891,0	247248,0	296856,0	356004,0	<i>запрос</i>

Крестовина 45 °				
Диаметр	SDR 21	SDR 17	SDR 13,6	SDR 11
63	1134,0	1189,5	1249,5	1321,5
75	1416,0	1494,0	1584,0	1678,5
90	1960,5	2113,5	2287,5	2491,5
110	2581,5	2802,0	3055,5	3354,0
125	3042,0	3409,5	3772,5	4188,0
140	4003,5	4446,0	4978,5	5583,0
160	4813,5	5355,0	6025,5	6816,0
180	5863,5	6601,5	7492,5	8511,0
200	7944,0	9058,5	10393,5	12007,5
225	9405,0	10800,0	12457,5	14403,0
250	11428,5	13254,0	15361,5	17818,5
280	18175,5	21304,5	25059,0	29440,5
315	20214,0	23748,0	28053,0	32911,5

Отвод 45°,60°,90° 3-х сегментные						
Диаметр,мм	L,мм	SDR 26	SDR 21	SDR 17	SDR 13,6	SDR 11
40	85	-	213,0	217,5	223,5	229,5
50	85	267,0	271,5	279,0	288,0	298,5
63	85	345,0	352,5	364,5	378,0	394,5
75	85	420,0	435,0	451,5	471,0	492,0
90	170	598,5	634,5	681,0	735,0	796,5
110	170	772,5	832,5	900,0	976,5	1068,0
125	170	937,5	1017,0	1107,0	1221,0	1351,5
140	170	1125,0	1227,0	1350,0	1498,5	1668,0
160	230	1425,0	1573,5	1747,5	1962,0	2215,5
180	230	1726,5	1927,5	2167,5	2457,0	2787,0
200	230	2028,0	2277,0	2566,5	2913,0	3333,0
225	230	2373,0	2683,5	3045,0	3477,0	3982,5
250	240	2863,5	3235,5	3709,5	4258,5	4897,5
280	240	3933,0	4561,5	5274,0	6127,5	7125,0
315	270	4489,5	5157,0	5979,0	6979,5	8109,0
355	310	6016,5	7020,0	8260,5	9678,0	11332,5
400	360	7978,5	9378,0	11040,0	13059,0	15405,0
450	410	11304,0	13444,5	15973,5	19008,0	22549,5
500	400	13045,5	15543,0	18516,0	22041,0	26152,5
560	440	20211,0	24313,5	29238,0	35079,0	41788,5
630	510	26514,0	31875,0	38565,0	46326,0	55620,0
710	550	47877,0	56629,5	6720,5	79737,0	94540,5
800	630	67782,0	77218,5	92025,0	109995,0	запрос
900	710	99307,5	118722,0	141459,0	168568,5	запрос
1000	710	128019,0	153348,0	183367,5	219954,0	запрос
1200	710	запрос	запрос	запрос	запрос	запрос

Отвод 90° 4-х сегментный						
Диаметр,мм	L,мм	SDR 26	SDR 21	SDR 17	SDR 13,6	SDR 11
225	200	3310,5	3715,5	4191,0	4753,5	5415,0
250	200	3975,0	4462,5	5082,0	5799,0	6634,5
280	210	5401,5	6223,5	7155,0	8271,0	9574,5
315	235	6078,0	6933,0	7983,0	9264,0	10710,0
355	270	8157,0	9462,0	11073,0	12915,0	15064,5
400	310	11043,0	12930,0	15168,0	17889,0	21049,5
450	350	14859,0	17579,5	20791,5	24648,0	29148,0
500	350	17128,5	20299,5	24078,0	28557,0	33781,5
560	380	27076,5	32473,5	38949,0	46630,5	55455,0
630	470	34374,0	41185,5	49683,0	59542,5	71347,5
710	550	66166,5	77983,5	92146,5	109177,5	129162,0
800	630	80568,0	63613,0	112939,5	134290,5	запрос

Втулка сварная						
Диаметр,мм	L,мм	SDR 26	SDR 21	SDR 17	SDR 13,6	SDR 11
40	100	-	343,5	343,5	511,5	513,0
50	100	333,0	334,5	336,0	327,0	330,0
63	100	292,5	295,5	300,0	327,0	333,0
75	100	547,5	553,5	559,5	577,5	585,0
90	100	592,5	598,5	607,5	616,5	628,5
110	150	621,0	636,0	654,0	732,0	756,0
125	150	1270,5	1293,0	1320,0	1435,5	1473,0
140	150	1587,0	1614,0	1647,0	1959,0	2004,0
160	200	1180,5	1224,0	1276,5	1341,0	1416,0
180	200	2518,5	2577,0	2647,5	3360,0	3457,5
200	200	3001,5	3075,0	3160,5	3378,0	3502,5
225	200	1821,0	1912,5	2019,0	2146,5	2296,5
250	200	3190,5	3300,0	3439,5	3601,5	3790,0
280	220	3049,5	3222,0	3418,5	3736,5	4011,0
315	250	3670,5	3871,5	4119,0	4557,0	4897,5
355	300	5733,0	6042,0	6424,5	7594,5	8104,5
400	350	6211,5	6661,5	7197,0	8343,0	9099,0
450	400	11502,0	12193,5	13011,0	14737,5	15889,5
500	400	16627,5	17871,0	12016,5	13435,5	14766,0
560	450	14796,0	16389,0	18378,0	20986,5	23664,0
630	500	14796,0	16389,0	18378,0	20986,5	23749,5
710	650	31654,5	34440,0	37777,5	41791,5	46501,5
800	750	40470,0	44371,5	49017,0	71934,0	запрос
900	800	82260,0	88260,0	95287,5	116398,5	запрос
1000	800	108454,5	115753,5	124402,5	запрос	запрос
1200	800	запрос	запрос	запрос	запрос	запрос

Заглушка сварная						
Диаметр,мм	L,мм	SDR 26	SDR 21	SDR 17	SDR 13,6	SDR 11
180	200	1867,5	1926	1996,5	2082	2179,5
200	200	2526	2598	2683,5	2787	2910
225	200	3384	3475,5	3582	3709,5	3858
250	200	4075,5	4186,5	4326	4488	4675,5
280	220	5239,5	5413,5	5608,5	5842,5	6117
315	250	8218,5	8419,5	8667	8968,5	9309
355	300	10656	10966,5	11349	11785,5	12295,5
400	350	11217	11668,5	12204	12853,5	13609,5
450	400	14193	14884,5	15702	16684,5	17829
500	400	19264,5	20073	21033	22173	23502
560	450	20194,5	21438	22930,5	запрос	запрос
630	500	32032,5	33568,5	35485,5	запрос	запрос
710	650	59457	запрос	запрос	запрос	запрос
800	750	64834,5	запрос	запрос	запрос	запрос
900	800	запрос	запрос	запрос	запрос	запрос

Тройник 90 °					
Диаметр,мм	SDR 26	SDR 21	SDR 17	SDR 13,6	SDR 11
40	-	273,0	280,5	291,0	304,5
50	340,5	351,0	364,5	381,0	402,0
63	447,0	462,0	486,0	513,0	543,0
75	639,0	687,0	745,5	813,0	885,0
90	808,5	871,5	951,0	1044,0	1152,0
110	1057,5	1162,5	1279,5	1413,0	1572,0
125	1297,5	1434,0	1588,5	1785,0	2008,5
140	1536,0	1701,0	1899,0	2140,5	2412,0
160	1843,5	2050,5	2295,0	2596,5	2952,0
180	2230,5	2509,5	2841,0	3241,5	3700,5
200	2631,0	2974,5	3376,5	3856,5	4438,5
225	3085,5	3516,0	4017,0	4614,0	5314,5
250	3744,0	4258,5	4914,5	5674,5	6558,0
280	5112,0	5962,5	6924,0	8079,0	9426,0
315	6232,5	7224,0	8442,0	9928,5	11604,0
355	8211,0	9646,5	11419,5	13447,5	15813,0
400	10159,5	11974,5	14128,5	16747,5	19788,0
450	15174,0	18118,5	21598,5	25774,5	30646,5
500	17529,0	20964,0	25054,5	29904,0	35562,0
560	29244,0	35337,0	42648,0	51321,0	61284,0
630	36642,0	44176,5	53578,5	64486,5	77548,5
710	73533,0	87459,0	104149,5	124219,5	147771,0
800	98908,5	118416,0	141642,0	169830,0	запрос
900	152998,5	185121,0	222739,5	267594,0	запрос

Тройник неравнопроходной 90 °				
Диаметр,мм	SDR 21	SDR 17	SDR 13,6	SDR 11
315x110	13393,5	14629,5	16479,0	18178,5
315x160	12303,0	13573,5	15903,0	17655,0
315x225	10690,5	12040,5	14106,0	15963,0
400x110	20803,5	22974,0	26617,5	30036,0
400x160	20067,0	22272,0	26443,5	29559,0
400x225	18454,5	20739,0	24645,0	27867,0
400x315	17037,0	19482,0	23163,0	26605,5
500x110	35395,5	39504,0	46080,0	51760,5
500x160	33459,0	37602,0	45150,0	50883,0
500x225	32692,5	36915,0	43353,0	49191,0
500x315	31275,0	35658,0	41871,0	47928,0
500x400	29892,0	34588,5	40473,0	46986,0
630x225	63385,5	72916,5	95592,0	108835,5
630x315	61966,5	71659,5	94110,0	107572,5
630x400	60583,5	70590,0	92713,5	106629,0
630x500	58093,5	68679,0	91170,0	105870,0

Тройник 45-60° , Тройник Y-образный				
Диаметр,мм	SDR 21	SDR 17	SDR 13,6	SDR 11
63	766,5	807,0	849,0	901,5
75	960,0	1015,5	1080,0	1147,5
90	1372,5	1489,5	1623,0	779,0
110	1819,5	1987,5	2181,0	1779,0
125	2211,0	2431,5	2709,0	3027,0
140	2835,0	3166,5	3567,0	4018,5
160	3418,5	3825,0	4326,0	4920,0
180	4455,0	5068,5	5812,5	6660,0
200	5634,0	6451,5	7429,5	8614,5
225	7297,5	8460,0	9841,5	11461,5
250	8923,5	10446,0	12201,0	14248,5
280	13296,0	15642,0	18459,0	21744,0
315	14782,5	17433,0	20662,5	24306,0
355	20797,5	24855,0	29493,0	34902,0
400	25963,5	30891,0	36880,5	43836,0

Переход				
Диаметр,мм	SDR 21	SDR 17	SDR 13,6	SDR 11
315x110	6906,0	7177,5	8551,5	8916,0
315x160	6177,0	6475,5	7621,5	9633,0
315x225	5241,0	5595,0	5671,5	6160,5
400x110	11230,5	11782,5	14212,5	14991,0
400x160	10494,0	11080,5	13282,5	14113,5
400x225	8778,0	9420,0	11332,5	12235,5
400x315	7267,5	8049,0	11731,5	12826,5
500x110	18327,0	19306,5	22525,5	23878,5
500x160	16390,5	17404,5	21595,5	23001,0
500x225	15876,0	16944,0	19644,0	21123,0
500x315	14364,0	15573,0	18022,5	19692,0
500x400	12861,0	14358,0	16447,5	18531,0
630x225	27370,5	29394,0	43357,5	46170,0
630x315	25860,0	28024,5	41736,0	44737,5
630x400	24357,0	26808,0	40161,0	43578,0
630x500	21193,5	24072,0	37612,5	41605,5